



LED Lichttechnik

- Montageleisten LED
- Lichtleisten T5 LED
- Lichtleisten T4 LED
- Drehbare LED
Langfeldleuchte
- Posterbox Module
(Für Leuchtkasten)
- Hintergrundbeleuchtung
Für Leuchtkasten LED
- LED Linsen
- LED Panele
- Umbau Alter Produkte
In LED Beleuchtung
- Linienleuchten LED
Aufbau
- Linienleuchten LED
Einbau IP 65
- Einbauleuchten LED
- Aluminium LED Profile
- LED- Modulketten
- LED- Strips
- LED Treibern
- LED Treibern
Wasserdicht IP 65/67
- Leuchtmittel LED

Leuchtstoff Lichttechnik


- Montageleisten
- Montageleisten
Wasserdicht IP65/67
- Lichtleisten T5
- Lichtleisten T4
- Einbauleuchten
- Elektronische
Vorschaltgeräte EVG
- Elektronische
Vorschaltgeräte
Wasserdicht
IP65/IP67
- Leuchtmittel
- Leuchtstoff

Halogen Lichttechnik

- Einbauleuchten
(Halogen)
- Halogen-
Transformatoren
- Leuchtmittel Halogen

Picture	Model No.	LED Qty	Work Voltage	Power	Water-proof	Color	λ(Nm)/(CT:K)
CRI ≥ 90 SMD3528 LED Strips							
	MDZ3528A60SA-W-12	SMD 3528 120/m	DC12V	14.4W/m	No	<input type="checkbox"/> Warm White	3000-3500K
	MDZ3528A60SA-P-12	1140lm/m				<input type="checkbox"/> Pure White	6000-7000K
	MDZ3528A39SA-W-12	SMD 3528 78/m		9.4W/m		<input type="checkbox"/> Warm White	3000-3500K
	MDZ3528A39SA-P-12	740lm/m				<input type="checkbox"/> Pure White	6000-7000K
	MDZ3528A30SA-W-12	SMD 3528 60/m		7.2W/m		<input type="checkbox"/> Warm White	3000-3500K
	MDZ3528A30SA-P-12	570lm/m				<input type="checkbox"/> Pure White	6000-7000K
Super Bright LED Strips							
	MDZ3528A60S-W-12	SMD 3528 120/m	DC12V	19.2W/m	No	<input type="checkbox"/> Warm White	2500-3500K
	MDZ3528A60S-P-12	1440lm/m				<input type="checkbox"/> Pure White	6000-7000K
	MDZ3528A39S-W-12	SMD 3528 78/m		12.5W/m		<input type="checkbox"/> Warm White	2500-3500K
	MDZ3528A39S-P-12	935 lm/m				<input type="checkbox"/> Pure White	6000-7000K
	MDZ3528A30S-W-12	SMD 3528 60/m		9.6W/m		<input type="checkbox"/> Warm White	2500-3500K
	MDZ3528A30S-P-12	720lm/m				<input type="checkbox"/> Pure White	6000-7000K
Double-Line Super Bright SMD3528 LED Strips							
	MDZ3528A120S-W-24	SMD 3528 240/m 2880lm/m	DC24V	38.4W/m	No	<input type="checkbox"/> Warm White	2500-3500K
	MDZ3528A120S-P-24					<input type="checkbox"/> Pure White	6000-7000K


New or Special Strips

Picture	Model No.	LED Qty	Work Voltage	Power	Water-proof	Color	λ(Nm)/(CT:K)
RGBW LED Strips IP68(Silicone Tube+ Silicone Glue) IP67(With Silicone Tube) IP65(Single-Side Glued)							
	MDZ 5050A30-CP-12	SMD 5050 60/m	DC12V	14.4W/m	No	RGB Pure White	■ : 620-630 ■ : 455-470 ■ : 510-525 □ : 6000-7000K □ : 3000-3500K
	MDZ 5050A30-CW-12					RGB Warm White	
	MDZ 5050B30-CP-12					RGB Pure White	
	MDZ 5050B30-CW-12					RGB Warm White	
	MDZ 5050C30-CP-12					RGB Pure White	
	MDZ 5050C30-CW-12					RGB Warm White	
	MDZ 5050D30-CP-12					RGB Pure White	
	MDZ 5050D30-CW-12					RGB Warm White	

Double-Line SMD5050 120LED/m Strips


	MDZ 5050A60-R-24	SMD 5050 120/m	DC24V	28.8W/m	NO	■ Red	620-630
	MDZ 5050A60-Y-24					■ Yellow	585-595
	MDZ 5050A60-B-24					■ Blue	455-470
	MDZ 5050A60-P-24					□ Pure White	6000-7000K
	MDZ 5050A60-W-24					□ Warm White	2500-3500K
	MDZ 5050A60-C-24					■ ■ ■ RGB	620-630 510-525 455-470
	MDZ 5050A60-G-24					■ Green	510-525

Double-Line SMD3528 240LED/m Strips Non-waterproof Version





	MDZ 3528A120-R-24	SMD 3528 240/m	DC24V	19.2W/m	NO	■ Red	620-630
	MDZ 3528A120-Y-24					■ Yellow	585-595
	MDZ 3528A120-B-24					■ Blue	455-470
	MDZ 3528A120-W-24					□ Warm White	2500-3500K
	MDZ 3528A120-P-24					□ Pure White	6000-7000K
	MDZ 3528A120-G-24					■ Green	510-525

Picture	Model No.	LED Qty	Work Voltage	Power	Water proof	Color λ(Nm) / (CT:K)
---------	-----------	---------	--------------	-------	-------------	----------------------

Special CCT adjustable LED Strips. One SMD3528 with one warm white chip and one pure white chip

	MDZ3528A60T-HA-12	SMD 3528 120/m	DC12V	19.2 W/m	No	Warm White: 540lm-600lm Pure White: 600lm-700lm
---	-------------------	-------------------	-------	----------	----	---

CCT adjustable LED Strips IP68(Silicone Tube+ Silicone Glue) IP67(With Silicone Tube) IP65(Single-Side Glued)

	MDZ3528A60TS-H-12	SMD 3528 120/m (Super Bright)	DC12V	19.2 W/m	No	3000-7000k Warm White: 540lm-600lm Pure White: 600lm-700lm
	MDZ3528A60T-H-12	SMD 3528 120/m (Normal Bright)	DC12V	9.6 W/m	No	3000-7000k
	MDZ3528B60T-H-12	SMD 3528 120/m (Normal Bright)	DC12V	9.6 W/m	IP65	3000-7000k
	MDZ3528C60T-H-12	SMD 3528 120/m (Normal Bright)	DC12V	9.6 W/m	IP67	3000-7000k
		SMD				

Ministeckersystem


Elektrisches Zubehör

Holzprodukte

Draht- und Blechprodukte


Mechanische Dienstleistungen

Lampen mit Glasschirme

	MDZ3528D60T-H-12	3528 120/m (Normal Bright)	DC12V	9.6 W/m	IP68	3000-7000k
--	------------------	----------------------------------	-------	------------	------	------------

New or Special Strips

SMD3528 60LED/m Strips(4.8W/m)

Picture	Model No. MDZ	LED Qty	Work Voltage	Power	Water-proof	Color	λ (Nm)/(CT:K)
IP68(Silicone Tube+ Silicone Glue) IP67(With Silicone Tube) IP65(Single-Side Glued)							
	MDZ 3528A30-R-12	SMD 3528 60/m	DC12V	4.8W/m	NO	■ Red	620-630
	MDZ 3528A30-Y-12					■ Yellow	585-595
	MDZ 3528A30-B-12					■ Blue	455-470
	MDZ 3528A30-W-12					■ Warm White	2500-3500K
	MDZ 3528A30-P-12					■ Pure White	6000-7000K
	MDZ 3528A30-G-12					■ Green	510-525
	MDZ 3528B30-R-12	SMD 3528 60/m	DC12V	4.8W/m	IP 65	■ Red	620-630
	MDZ 3528B30-Y-12					■ Yellow	585-595
	MDZ 3528B30-B-12					■ Blue	455-470
	MDZ 3528B30-W-12					■ Warm White	2500-3500K
	MDZ 3528B30-P-12					■ Pure White	6000-7000K
	MDZ 3528B30-G-12					■ Green	510-525
	MDZ 3528C30-R-12	SMD 3528 60/m	DC12V	4.8W/m	IP 67	■ Red	620-630
	MDZ 3528C30-Y-12					■ Yellow	585-595
	MDZ 3528C30-B-12					■ Blue	455-470
	MDZ 3528C30-W-12					■ Warm White	2500-3500K
	MDZ 3528C30-P-12					■ Pure White	6000-7000K
	MDZ 3528C30-G-12					■ Green	510-525
	MDZ 3528D30-R-12	SMD 3528 60/m	DC12V	4.8W/m	IP 68	■ Red	620-630
	MDZ 3528D30-Y-12					■ Yellow	585-595
	MDZ 3528D30-B-12					■ Blue	455-470
	MDZ 3528D30-W-12					■ Warm White	2500-3500K
	MDZ 3528D30-P-12					■ Pure White	6000-7000K
	MDZ 3528D30-G-12					■ Green	510-525

stat4u

SMD3528 120LED/m Strips (9.6W/m)





Picture	Model No.	LED	Work	Power	Waterproof	Color	λ (Nm)/(CT:K)
---------	-----------	-----	------	-------	------------	-------	-----------------------

Qty	Voltage						
IP68(Silicone Tube+ Silicone Glue) IP67(With Silicone Tube) IP65(Single-Side Glued)							
	MDZ3528A60-R-12	SMD 3528 120/m	DC12V	9.6W/m	NO	Red	620-630
	MDZ3528A60-Y-12					Yellow	585-595
	MDZ3528A60-B-12					Blue	455-470
	MDZ3528A60-W-12					Warm White	2500-3500K
	MDZ3528A60-P-12					Pure White	6000-7000K
	MDZ3528A60-G-12					Green	510-525
	MDZ3528B60-R-12	SMD 3528 120/m	DC12V	9.6W/m	IP65	Red	620-630
	MDZ3528B60-Y-12					Yellow	585-595
	MDZ3528B60-B-12					Blue	455-470
	MDZ3528B60-W-12					Warm White	2500-3500K
	MDZ3528B60-P-12					Pure White	6000-7000K
	MDZ3528B60-G-12					Green	510-525
	MDZ3528C60-R-12	SMD 3528 120/m	DC12V	9.6W/m	IP67	Red	620-630
	MDZ3528C60-Y-12					Yellow	585-595
	MDZ3528C60-B-12					Blue	455-470
	MDZ3528C60-W-12					Warm White	2500-3500K
	MDZ3528C60-P-12					Pure White	6000-7000K
	MDZ3528C60-G-12					Green	510-525
	MDZ3528D60-R-12	SMD 3528 120/m	DC12V	9.6W/m	IP68	Red	620-630
	MDZ3528D60-Y-12					Yellow	585-595
	MDZ3528D60-B-12					Blue	455-470
	MDZ3528D60-W-12					Warm White	2500-3500K
	MDZ3528D60-P-12					Pure White	6000-7000K
	MDZ3528D60-G-12					Green	510-525





SMD5050 30LED/m Strips (7.2W/m)

>

Picture	Model No.	LED Qty	Work Voltage	Power	Water proof	Color	λ (Nm) / (CT:K)
IP68(Silicone Tube+ Silicone Glue) IP67(With Silicone Tube) IP65(Single-Side Glued)							
	MDZ5050A15-						

	R-12	SMD 5050 30/m	DC12V	7.2W/m	NO	Red	620-630
	MDZ5050A15-Y-12					Yellow	585-595
	MDZ5050A15-B-12					Blue	455-470
	MDZ5050A15-P-12					Pure White	6000-7000K
	MDZ5050A15-W-12					Warm White	2500-3500K
	MDZ5050A15-C-12					R G B	620-630 510-525 455-470
	MDZ5050A15-G-12					Green	510-525
	MDZ5050B15-R-12	SMD 5050 30/m	DC12V	7.2W/m	IP65	Red	620-630
	MDZ5050B15-Y-12					Yellow	585-595
	MDZ5050B15-B-12					Blue	455-470
	MDZ5050B15-P-12					Pure White	6000-7000K
	MDZ5050B15-W-12					Warm White	2500-3500K
	MDZ5050B15-C-12					R G B	620-630 510-525 455-470
	MDZ5050B15-G-12					Green	510-525
	MDZ5050C15-R-12	SMD 5050 30/m	DC12V	7.2W/m	IP67	Red	620-630
	MDZ5050C15-Y-12					Yellow	585-595
	MDZ5050C15-B-12					Blue	455-470
	MDZ5050C15-P-12					Pure White	6000-7000K
	MDZ5050C15-W-12					Warm White	2500-3500K
	MDZ5050C15-C-12					R G B	620-630 510-525 455-470
	MDZ5050C15-G-12					Green	510-525
	MDZ5050D15-R-12	SMD 5050 30/m	DC12V	7.2W/m	IP68	Red	620-630
	MDZ5050D15-Y-12					Yellow	585-595
	MDZ5050D15-B-12					Blue	455-470
	MDZ5050D15-P-12					Pure White	6000-7000K
	MDZ5050D15-W-12					Warm White	2500-3500K
	MDZ5050D15-C-12					R G B	620-630 510-525 455-470
	MDZ5050D15-G-12					Green	510-525

SMD5050 60LED/m Strips (14.4W/m)

Picture	Model No.	Qty	Voltage	Power	Waterproof	Color	λ (Nm)/(CT:K)
IP68(Silicone Tube+ Silicone Glue) IP67(With Silicone Tube) IP65(Single-Side Glued)							
	MDZ5050A30-R-12					Red	620-630
	MDZ5050A30-Y-12					Yellow	585-595
	MDZ5050A30-B-12					Blue	455-470
	MDZ5050A30-P-12	SMD 5050	DC12V	14.4W/m	NO	Pure White	6000-7000K
	MDZ5050A30-W-12	60/m				Warm White	2500-3500K
	MDZ5050A30-C-12					R G B	620-630 510-525 455-470
	MDZ5050A30-G-12					Green	510-525
	MDZ5050B30-R-12					Red	620-630
	MDZ5050B30-Y-12					Yellow	585-595
	MDZ5050B30-B-12					Blue	455-470
	MDZ5050B30-P-12	SMD 5050	DC12V	14.4W/m	IP65	Pure White	6000-7000K
	MDZ5050B30-W-12	60/m				Warm White	2500-3500K
	MDZ5050B30-C-12					R G B	620-630 510-525 455-470
	MDZ5050B30-G-12					Green	510-525
	MDZ5050C30-R-12					Red	620-630
	MDZ5050C30-Y-12					Yellow	585-595
	MDZ5050C30-B-12					Blue	455-470
	MDZ5050C30-P-12	SMD 5050	DC12V	14.4W/m	IP67	Pure White	6000-7000K
	MDZ5050C30-W-12	60/m				Warm White	2500-3500K
	MDZ5050C30-C-12					R G B	620-630 510-525 455-470
	MDZ5050C30-G-12					Green	510-525
	MDZ5050D30-R-12					Red	620-630
	MDZ5050D30-Y-12					Yellow	585-595
	MDZ5050D30-B-12					Blue	455-470
	MDZ5050D30-P-12	SMD 5050	DC12V	14.4W/m	IP68	Pure White	6000-7000K
	MDZ5050D30-W-12	60/m				Warm White	2500-3500K
	MDZ5050D30-C-12					R G B	620-630 510-525 455-470

MDZ5050D30-G-12					Green	510-525
-----------------	--	--	--	--	-------	---------

SMD335 and Dream Color Strips

Picture	Model No.	LED Qty	Work Voltage	Power	Waterproof	Color	λ (Nm)/(CT:K)
IP67(With Silicone Tube)							
	MDZ335A30-R-12	SMD 335 60/m	DC12V	4.8W/m	No	Red	620-630
	MDZ335A30-Y-12					Yellow	585-595
	MDZ335A30-B-12					Blue	455-470
	MDZ335A30-G-12					Green	510-525
	MDZ335A30-P-12					Pure White	6000-7000K
	MDZ335A30-W-12					Warm White	2500-3500K
	MDZ335C30-R-12	SMD 335 60/m	DC12V	4.8W/m	IP67	Red	620-630
	MDZ335C30-Y-12					Yellow	585-595
	MDZ335C30-B-12					Blue	455-470
	MDZ335C30-G-12					Green	510-525
	MDZ335C30-P-12					Pure White	6000-7000K
	MDZ335C30-W-12					Warm White	2500-3500K
Dream Color LED Strips IP67 Waterproof(With Silicone Tube)							
	MDZ5050C16-D-5	SMD 5050 32/m	DC5V	9.6w/m	IP67	R G B	620-630
							455-470
							510-525

v

Part No.	LED	Quantity	Color	Voltage	Power	IP Rank	Dimension	Viewing Angle
----------	-----	----------	-------	---------	-------	---------	-----------	---------------

Non Waterproof Flexible strip Lights

Double color 3528 led strip
[Poor White (PW)/Warm White (WW)]

MDZ91038	SMD 3528	300-LED	PW WW	12V DC	25-50W	IP20	5000x10x2,35mm	120°
----------	----------	---------	-------	--------	--------	------	----------------	------




MDZ9005CT

Input: DC 12V/24V, 6A, 433,9MHz, 20m distance for remote

MDZ91038	SMD 3528	300-LED	PW/WW	12V DC	25-50W	IP20	5000x10x2,35mm	120°
----------	----------	---------	-------	--------	--------	------	----------------	------

CREE chip 3528 led strip

MDZ91008C	SMD 3528	300-LED	PW	12V DC	24W	IP20	5000x8x2,35mm	120°
-----------	----------	---------	----	--------	-----	------	---------------	------



SMD 3528/5050 & 3535 (Single color)

MDZ91008	SMD 3528	300-LED		12V DC	20,4 - 24W	IP 20	5000x8x2,35mm	120°
MDZ91033		600-LED			40,8-48W	IP 20		
MDZ91016	SMD 505	150-LED	PW/WW/ R/B/G/Y	24V DC	30-36W	IP 20	5000x10x2,5mm	120°
MDZ91021		300-LED			60-72W	IP 20		
MDZ91022	SMD 3535	300-LED		12V DC	60-72W	IP 20	5000x12x2,5mm	120°
MDZ91031		300-LED			PW/WW/	60W		
MDZ91035		200-LED		PW/WW	24V DC	48W	IP 20	5000x10x2,5mm



SMD 5060 (RGB color)

MDZ91012	SMD 5060	150-LED	R/B/G 3 in 1	12V DC	30-36W	IP 20	5000x10x2,0mm	120°
MDZ91023		300-LED		12V DC	60-72W	IP 20	5000x10x2,0mm	120°
MDZ91020		300-LED		12V DC	60-72W	IP 20	5000x10x2,0mm	120°




Double row LED Strip

MDZ91041	SMD 3528	1200-LED	PW/WW/ R/B/G/Y	24V DC	96W	IP 20	5000x15x2,15mm	120°
----------	----------	----------	-------------------	--------	-----	-------	----------------	------




Waterproof LED Flexible Strip Lights

MDZ93005	SMD3528	300-LED/5m		12V DC	20,4-24W			
MDZ93026		600-LED/5m			40,8-48W			
MDZ93013	SMD5050	150-LED/5m	PW/WW/ R/B/G/Y	24V DC	30-36W			
MDZ93018		300-			60-			


MDZ93019		LED/5m 300- LED/5m			72W 60- 72W	IP 65		Type B
MDZ93010		150- LED/5m		12V DC	30- 36W			
MDZ93020	SMD5060	300- LED/5m	R/B/G 3 in 1		60- 72W			
MDZ93017		300- LED/5m		24V DC	60- 72W			

Type D - PE shrink tube - 3M tape

MDZ940	SMD3528	300- LED/5m			20,4- 24W	IP 65		Type D
MDZ940		600- LED/5m		12V DC	40,8- 48W			
MDZ940		150- LED/5m	PW/WW/ R/B/G/Y		30- 36W			
MDZ940	SMD5050	300- LED/5m		24V DC	60- 72W			
MDZ940		300- LED/5m			60- 72W			
MDZ940		150- LED/5m		12V DC	30- 36W			
MDZ940	SMD5060	300- LED/5m	R/B/G 3 in 1		60- 72W			
MDZ940		300- LED/5m		24V DC	60- 72W			


Type E - Crystal strip

(without cover only glue on the top Indoor use only - 3M tape)

MDZ95003	SMD3528	300- LED/5m			20,4- 24W	IP 65		Type E
MDZ94026		600- LED/5m		12V DC	40,8- 48W			
MDZ95011		150- LED/5m	PW/WW/ R/B/G/Y		30- 36W			
MDZ95016	SMD5050	300- LED/5m		24V DC	60- 72W			
MDZ94017		300- LED/5m			60- 72W			
MDZ95007		150- LED/5m		12V DC	30- 36W			
MDZ95015	SMD5060	300- LED/5m	R/B/G 3 in 1		60- 72W			
MDZ95018		300- LED/5m		24V DC	60- 72W			

Type F - Silicon cover

(silicone glue sealed on the back)

MDZ97008	SMD3528	300- LED/5m			20,4- 24W	IP 65		Type F
MDZ97013		600- LED/5m		12V DC	40,8- 48W			
MDZ97002		150- LED/5m	PW/WW/ R/B/G/Y		30- 36W			
MDZ97021	SMD5050	300- LED/5m		24V DC	60- 72W			
MDZ97026		300- LED/5m			60- 72W			
MDZ97016		150- LED/5m		12V DC	30- 36W			
		300-	R/B/G		60-			


MDZ97030	SMD5060	LED/5m	3 in 1	24V DC	72W
MDZ97020		300-LED/5m			60-72W

Accessories for Type F




Aluminum channel (10pcs 5cm) Expansion pipe (20pcs) Screw (20pcs) End cap (5pcs) Glue (45g)

Type G - Injection PVC tube (3M tape)

MDZ98018	SMD3528	300-LED/5m	PW/WW/ R/B/G/Y	12V DC	20,4-24W	IP 65		Type G
MDZ98012		600-LED/5m			40,8-48W			
MDZ98002	SMD5050	150-LED/5m	12V DC	30-36W				
MDZ98021		300-LED/5m		24V DC	60-72W			
MDZ98026		300-LED/5m		60-72W				
MDZ98016	SMD5060	150-LED/5m	R/B/G 3 in 1	12V DC	30-36W			
MDZ98030		300-LED/5m			60-72W			
MDZ98020		300-LED/5m		24V DC	60-72W			

Type K (New Type F) IP66 (3M tape)

MDZ97008A	SMD 3528	300-LED/5m	PW/WW/ R/B/G/Y	12V DC	20,4-24W	IP 66		New Type F
MDZ97013A		600-LED/5m		12V DC	40,8-48W			
MDZ97002A	SMD 5050	150-LED/5m	12V DC	30-36W				
MDZ970021A		300-LED/5m		24V DC	60-72W			
MDZ970016A	SMD 5060	150-LED/5m	R/B/G 3 in 1	12V DC	30-36W			
MDZ970020A		300-LED/5m		24V DC	60-72W			