


Posterbox Module für Leuchtkasten LED

Box Sings Modules for Light Boxes LED

Content

- Posterbox Module für Leuchtkasten CREE LED Wasserdicht IP 65
- Posterbox Modules for Light Boxes CREE LED Waterproof IP 65..... 1
- Lichtbündel Winkel | Light Beam Angle 2
- Posterbox Module für Leuchtkasten CREE LED Posterbox Module for Light Boxes CREE LED 3
- MDZ11-HP1 A Mit Linsen | With Lenses 5
- MDZ11-HP1 ohne Linsen | Without Lenses 7
- Lichtleisten mit Linsen | Light Bars with Lenses..... 8





Posterbox Module für Leuchtkasten CREE LED Wasserdicht IP 65

Posterbox Modules for Light Boxes CREE LED Waterproof IP 65




CREE 3W Chip LED




Lichtbündel Winkel | Light Beam Angle

Typisch | Typical

10° * 30°








10° * 38°



		MDZEA-C3LED	MDZEA-C5LED
Maße Dimensions [mm]		314 x 33 x 19,5	554 x 33 x 19,5
Leistung Power [W]		7,5 W	12,5 W
Spannung Voltage [V]		24 V	24 V
LED Menge LED Quantity		3	5
LED Typ LED Type		CREE-XP Q5	CREE-XP Q5
Lichtstrom Luminous flux	Warm White 2800-3300 K		
	Middle White 4000-4500 K	365lm	
	White 5500-6000 K		602lm


Posterbox Module für Leuchtkasten CREE LED
Posterbox Module for Light Boxes CREE LED




Typisch | Typical




13° * 55




Auf Anfrage | On Request




10°




15




30°




45°




60°




90°



10° * 30°




12° * 36°




	MDZB-C1LED	MDZB-C3LED	MDZB-C5LED	MDZB-C6LED
Maße Dimensions [mm]	80 x2 x14	200x23,5x14	360x23,5x14	440x23,5x14
Leistung Power [W]	≤ 2,6 W	≤ 9 W		≤ 17W
Spannung Voltage [V]	24 V	24 V	24 V	24 V
LED Menge LED Quantity	1	3	5	6
LED Typ LED Type	CREE-XP Q5	CREE-XP Q5	CREE-XP Q5	CREE-XP Q5
Lichtstrom Luminous flux	Warm White 2800-3300 K			
	Middle White 4000-4500 K			
	White 5500-6000 K	156 lm	663 lm	736 lm


MDZ11-HP1 A Mit Linsen | **With Lenses**




Typisch | Typical




20° * 60











40°






60°





	MDZ11-HP1VA	MDZ11-HP1 PGA	MDZ11-HP1BA	MDZ11-HP1YA	MDZ11-HP1CWA	MDZ11-HP1WWA
Maße Dimensions [mm]	570X20	570X20	570X20	570X20	570X20	570X20
Leistung Power [W]	12 W	12 W	12 W	12 W	12 W	12 W
Spannung Voltage [V]	12 V	12 V	12 V	12 V	12 V	12 V
LED Menge LED Quantity	12	12	12	12	12	12
LED Typ LED Type	12 X 1W	12 X 1W	12 X 1W	12 X 1W	12 X 1W	12 X 1W
Lichtstrom Luminous flux	RED	GREEN	BLUE	YELLOW	COOL WHITEE	WARM WHITE
	480 lm	610 lm	95 lm	380 lm	660 lm	610 lm

MDZ11-HP1 ohne Linsen | Without Lenses







	MDZ11-HP1V	MDZ11-HP1 PG	MDZ11-HP1B	MDZ11-HP1Y	MDZ11-HP1CW	MDZ11-HP1WW
Maße Dimensions [mm]	570X20	570X20	570X20	570X20	570X20	570X20
Leistung Power [W]	12 W	12 W	12 W	12 W	12 W	12 W
Spannung Voltage [V]	12 V	12 V	12 V	12 V	12 V	12 V
LED Menge LED Quantity	12	12	12	12	12	12
LED Typ LED Type	12 X 1W	12 X 1W	12 X 1W	12 X 1W	12 X 1W	12 X 1W
Lichtstrom Luminous flux	RED	GREEN	BLUE	YELLOW	COOL WHITE	WARM WHITE
	480 lm	610 lm	95 lm	380 lm	660 lm	610 lm

Lichtleisten mit Linsen | Light Bars with Lenses











Auf Anfrage | On Request

L = 60 - 3000 mm





Strip	Watt/m	Lm/m	Lm/Watt
MDZ-A17	12,9	1350	105
MDZ-A19	16,3	1842	113







Lichtleisten mit Linien Linsen | Light Bars with Linear Lenses

90°



60°



30°

